

CERTIFICATE OF ANALYSIS

Prepared for:

Partnered Process LLC

402 Travis Ln Ste 64 Waukesha, WI USA 53189

2000mg CBD per 30ml Natural FS distillate

Batch ID or Lot Number: T32022-1	Test: Potency	Reported: 05Dec2022	USDA License: N/A		
Matrix: Solution	Test ID: T000228228	Started: 22Nov2022	Sampler ID: N/A		
	Method(s): TM14 (HPLC-DAD)	Received: 21Nov2022	Status: N/A		

	Result					
Cannabinoids	LOD (mg/mL) LOQ (mg/mL)		(mg/mL)	Result (mg/g)	Notes	
Cannabichromene (CBC)	0.048	0.167	0.940 ND	1.00 ND	Amendment to COA issued 23Nov2022	
Cannabichromenic Acid (CBCA)	0.044	0.152				
Cannabidiol (CBD)	0.168	0.443	71.850	75.60	to correct laboratory reporting error. Density = 0.951g/mL	
Cannabidiolic Acid (CBDA)	0.172	0.454	ND	ND		
Cannabidivarin (CBDV)	0.040	0.105	0.330	0.30		
Cannabidivarinic Acid (CBDVA)	0.072	0.189	ND	ND		
Cannabigerol (CBG)	0.027	0.095	0.770	0.80		
Cannabigerolic Acid (CBGA)	0.114	0.396	ND	ND		
Cannabinol (CBN)	0.036	0.123	0.240	0.30		
Cannabinolic Acid (CBNA)	0.078	0.270	ND	ND		
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.136	0.471	ND	ND		
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.123	0.428	1.740	1.80		
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.109	0.379	ND	ND		
Tetrahydrocannabivarin (THCV)	0.025	0.086	ND	ND		
Tetrahydrocannabivarinic Acid (THCVA)	0.096	0.334	ND	ND		
Total Cannabinoids			75.870	79.80		
Total Potential THC			1.740	1.80		
Total Potential CBD			71.850	75.60		

Final Approval

PREPARED BY / DATE

Samantha Smul

Sam Smith 05Dec2022 01:19:00 PM MST

APPROVED BY / DATE

Karen Winternheimer 05Dec2022 01:26:00 PM MST



https://results.botanacor.com/api/v1/coas/uuid/2345a9a9-5a7c-47a2-98d5-3cd44d6a2e12

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.







Cert #4329.02 2345a9a95a7c47a298d53cd44d6a2e12.2